



PUBLICATIONS

Protein Structure and Function

Duggin I G, Matthews J M, Dixon N E, Wake R G, Mackay J P A complex mechanism determines polarity of DNA replication fork arrest by the replication terminator complex of *Bacillus subtilis*. *J. Biol. Chem.* (2005), 280(13), 13105–13113.
<http://dx.doi.org/10.1074/jbc.M414187200>

Elvin C M, Carr A G, Huson M G, Maxwell J M, Pearson R D, Vuocolo T, Liyou N E, Wong D C C, Merritt D J, Dixon N E Synthesis and properties of crosslinked recombinant pro-resilin. *Nature* (2005), 437(7061), 999–1002.
<http://dx.doi.org/10.1038/nature04085>

John M, Park A Y, Pintacuda G, Dixon N E, Otting G Weak alignment of paramagnetic proteins warrants correction for residual CSA effects in measurements of pseudocontact shifts. *J. Am. Chem. Soc.* (2005), 127(49), 17190–17191.
<http://dx.doi.org/10.1021/ja0564259>

Neylon C, Kralicek A V, Hill T M, Dixon N E Replication termination in *Escherichia coli*: structure and antihelicase activity of the Tus-Ter complex. *Microbiol. Mol. Biol. Rev.* (2005), 69(3), 501–526. <http://dx.doi.org/10.1128/MMBR.69.3.501-526.2005>

Oakley A J, Loscha K V, Schaeffer P M, Liepinsh E, Pintacuda G, Wilce M C J, Otting G, Dixon N E Crystal and solution structures of the helicase-binding domain of *Escherichia coli* primase. *J. Biol. Chem.* (2005), 280(12), 11495–11504.
<http://dx.doi.org/10.1074/jbc.M412645200>

Ozawa K, Dixon N E, Otting G Cell-free synthesis of ^{15}N -labeled proteins for NMR studies. *IUBMB Life* (2005), 57(9), 615–622. <http://taylorandfrancis.metapress.com/openurl.asp?genre=article&tid=doi:10.1080/15216540500217859>

Ozawa K, Headlam M J, Mouradov D, Watt S J, Beck J L, Rodgers K J, Dean R T, Huber T, Otting G, Dixon N E Translational incorporation of L-3,4-dihydroxyphenylalanine into proteins. *FEBS J.* (2005), 272(12), 3162–3171.
<http://dx.doi.org/10.1111/j.1742-4658.2005.04735.x>

Ozawa K, Jergic S, Crowther J A, Thompson P R, Wijffels G, Otting G, Dixon N E Cell-free protein synthesis in an autoinduction system for NMR studies of protein–protein interactions. *J. Biomol. NMR* (2005), 32(3), 235–241.
<http://dx.doi.org/10.1007/s10858-005-7946-4>

Robinson A, Wu P S-C, Harrop S J, Schaeffer P M, Dosztányi Z, Gillings M R, Holmes A J, Nevalainen K M H, Stokes H W, Otting G, Dixon N E, Curmi, P M G, Mabbott, B C Integron-associated mobile gene cassettes code for folded proteins: the structure of Bal32a, a new member of the adaptable $\alpha+\beta$ barrel family. *J. Mol. Biol.* (2005), 346(5), 1229–1241.
<http://dx.doi.org/10.1016/j.jmb.2004.12.035>

Schaeffer P M, Headlam M J, Dixon N E Protein–protein interactions in the eubacterial replisome. *IUBMB Life* (2005), 57(1), 5–12. <http://taylorandfrancis.metapress.com/link.asp?id=u743k22211w896q4>

Wijffels G, Dalrymple B, Kongswan K, Dixon N E Conservation of eubacterial replicases. *IUBMB Life* (2005), 57(6), 413–419.
<http://journalsonline.tandf.co.uk/link.asp?id=u4056710213n2107>



◆>>> PUBLICATIONS

Williams N K, Liepinsh E, Watt S J, Prosselkov P, Matthews J M, Attard P, Beck J L, Dixon N E, Otting G **Stabilisation of native protein fold by intein-mediated covalent cyclisation.** *J. Mol. Biol.* (2005), 346(4), 1095–1108.
<http://dx.doi.org/10.1016/j.jmb.2004.12.037>

Nuclear Magnetic Resonance

Philbrook A, Blake C J, Dunlop N, Easton C J, Keniry M A, Simpson, J S **Demonstration of co-polymerisation in melamine–urea–formaldehyde reactions using ^{15}N NMR correlation spectroscopy.** *Polymer* (2005), 46(7), 2153–2156.
<http://dx.doi.org/10.1016/j.polymer.2005.01.031>

Structural Biology

Bourgault R, Oakley A J, Bewley J D, Wilce M C J **Three-dimensional structure of (1,4)- β -D-mannan mannanohydrolase from tomato fruit.** *Protein Sci.* (2005), 14(5), 1233–1241.[§] <http://dx.doi.org/10.1110/ps.041260905>

Oakley A J **Glutathione transferases: new functions.** *Curr. Opin. Struct. Biol.* (2005), 15(6), 716–723.
<http://dx.doi.org/10.1016/j.sbi.2005.10.005>

Oakley A J, Loscha K V, Schaeffer P M, Liepinsh E, Pintacuda G, Wilce M C J, Otting G, Dixon N E **Crystal and solution structures of the helicase-binding domain of *Escherichia coli* primase.** *J. Biol. Chem.* (2005), 280(12), 11495–11504.
<http://dx.doi.org/10.1074/jbc.M412645200>

Schmidberger J W, Oakley A J, Tsang J S H, Wilce M C J **Purification, crystallisation and preliminary crystallographic analysis of DehIVa, a dehalogenase from *Burkholderia cepacia* MBA4.** *Acta Crystallogr., Sect. F* (2005), 61(3), 271–273.
<http://dx.doi.org/10.1107/S1744309105002472>

Udomsinprasert R, Pongjaroenkit S, Wongsantichon J, Oakley A J, Prapanthadara L, Wilce M C J, Ketterman A J **Identification, characterisation and structure of a new Delta class glutathione transferase isoenzyme.** *Biochem. J.* (2005), 388(3), 763–771.[§] <http://dx.doi.org/10.1042/BJ20042015>

Watt S J, Oakley A, Sheil M M, Beck J L **Comparison of negative and positive ion electrospray ionisation mass spectra of calmodulin and its complex with trifluoperazine.** *Rapid Commun. Mass Spectrom.* (2005), 19(15), 2123–2130.
<http://dx.doi.org/10.1002/rcm.2039>

Webb A I, Dunstone M A, Williamson N A, Price J D, de Kauwe A, Chen W, Oakley A, Perlmutter P, McCluskey J, Aguilar M-I, Rossjohn J, Purcell A W **T Cell determinants incorporating β -amino acid residues are protease resistant and remain immunogenic *in vivo*.** *J. Immunol.* (2005), 175(6), 3810–3818. <http://www.jimmunol.org/cgi/content/abstract/175/6/3810>

[§] Research conducted prior to commencement at RSC

Protein Crystallography and Engineering

Jackson C, Kim H-K, Carr P D, Liu J-W, Ollis D L **The structure of an enzyme-product complex reveals the critical role of a terminal hydroxide nucleophile in the bacterial phosphotriesterase mechanism.** *Biochim. Biophys. Acta* (2005), 1752(1), 56–64. <http://dx.doi.org/10.1016/j.bbapap.2005.06.008>

Jackson C J, Liu J-W, Coote M L, Ollis D L **The effects of substrate orientation on the mechanism of a phosphotriesterase.** *Org. Biomol. Chem.* (2005), 3(24), 4343–4350. <http://dx.doi.org/10.1039/b512399b>

Kim H K, Liu J-W, Carr P D, Ollis D L **Following directed evolution with crystallography: structural changes observed in changing the substrate specificity of dienelactone hydrolase.** *Acta Crystallogr., Sect. D* (2005), 61(7), 920–931.
<http://dx.doi.org/10.1107/S0907444905009042>

Oakeshott J G, Devonshire A L, Cladianos C, Sutherland T D, Horne I, Campbell P M, Ollis D L, Russell R J **Comparing the organophosphorus and carbamate insecticide resistance mutations in cholin- and carboxyl-esterases.** *Chem.-Biol. Interact.* (2005), 157–158, 269–275. <http://dx.doi.org/10.1016/j.cbi.2005.10.041>

Xu Y, Wen D, Brown C, Chen C J, Carr P D, Ollis D L, Vasudevan S G **Expression, purification and crystallisation of the C-terminal domain of *Escherichia coli* adenylyltransferase.** *Acta Crystallogr., Sect. F* (2005), 61(7), 663–665.
<http://dx.doi.org/10.1107/S1744309105017458>

Yu McLoughlin S, Jackson C, Liu J-W, Ollis D **Increased expression of a bacterial phosphotriesterase in *Escherichia coli* through directed evolution.** *Protein Expr. Purif.* (2005), 41(2), 433–440. <http://dx.doi.org/10.1016/j.pep.2005.01.012>

Biomolecular NMR

Hastings A F, Otting G, Folmer R H A, Duggin I G, Wake G, Wilce M C J, Wilce J A **Interaction of the replication terminator protein of *Bacillus subtilis* with DNA probed by NMR spectroscopy.** *Biochem. Biophys. Res. Commun.* (2005), 335(2), 361–366. <http://dx.doi.org/10.1016/j.bbrc.2005.07.082>

John M, Park A Y, Pintacuda G, Dixon N E, Otting G **Weak alignment of paramagnetic proteins warrants correction for residual CSA effects in measurements of pseudocontact shifts.** *J. Am. Chem. Soc.* (2005), 127(49), 17190–17191.
<http://dx.doi.org/10.1021/ja0564259>

Moriya M, Taniguchi S, Wu P, Liepinsh E, Otting G, Sagara J **Role of charged and hydrophobic residues in the oligomerisation of the PYRIN domain of ASC.** *Biochemistry* (2005), 44(2), 575–583. <http://dx.doi.org/10.1021/bi048374i>

Oakley A J, Loscha K V, Schaeffer P M, Liepinsh E, Pintacuda G, Wilce M C J, Otting G, Dixon N E **Crystal and solution structures of the helicase-binding domain of *Escherichia coli* primase.** *J. Biol. Chem.* (2005), 280(12), 11495–11504.
<http://dx.doi.org/10.1074/jbc.M412645200>

Ozawa K, Dixon N E, Otting G **Cell-free synthesis of ^{15}N -labeled proteins for NMR studies.** *IUBMB Life* (2005), 57(9), 615–622. <http://taylorandfrancis.metapress.com/openurl.asp?genre=article&id=doi:10.1080/15216540500217859>

Ozawa K, Headlam M J, Mouradov D, Watt S J, Beck J L, Rodgers K J, Dean R T, Huber T, Otting G, Dixon N E **Translational incorporation of L-3,4-dihydroxyphenylalanine into proteins.** *FEBS J.* (2005), 272(12), 3162–3171.
<http://dx.doi.org/10.1111/j.1742-4658.2005.04735.x>

Ozawa K, Jergic S, Crowther J A, Thompson P R, Wijffels G, Otting G, Dixon N E **Cell-free protein synthesis in an autoinduction system for NMR studies of protein–protein interactions.** *J. Biomol. NMR* (2005), 32(3), 235–241.
<http://dx.doi.org/10.1007/s10858-005-7946-4>

Robinson A, Wu P S-C, Harrop S J, Schaeffer P M, Dosztányi Z, Gillings M R, Holmes A J, Nevalainen K M H, Stokes H W, Otting G, Dixon N E, Curmi P M G, Mabbott B C **Integron-associated mobile gene cassettes code for folded proteins: the structure of Bal32a, a new member of the adaptable $\alpha+\beta$ barrel family.** *J. Mol. Biol.* (2005), 346(5), 1229–1241.
<http://dx.doi.org/10.1016/j.jmb.2004.12.035>



◆>>> PUBLICATIONS

Williams N K, Liepinsh E, Watt S J, Prosselkov P, Matthews J M, Attard P, Beck J L, Dixon N E, Otting G Stabilisation of native protein fold by intein-mediated covalent cyclisation. *J. Mol. Biol.* (2005), 346(4), 1095–1108.
<http://dx.doi.org/10.1016/j.jmb.2004.12.037>

Wu P S C, Otting G Rapid pulse length determination in high-resolution NMR. *J. Magn. Reson.* (2005), 176(1), 115–119.
<http://dx.doi.org/10.1016/j.jmr.2005.05.018>

Wu P S C, Otting G SWET for secure water suppression on probes with high quality factor. *J. Biomol. NMR* (2005), 32(3), 243–250. <http://dx.doi.org/10.1007/s10858-005-8531-6>

Synthetic Organometallic and Coordination Chemistry

2004

Junk P C, Smith M K Bis(μ_2 -chloro)-{bis(diethylether)-lithium}-bis(η^5 -pentamethyl-cyclopentadienyl)samarium(III). *Appl. Organomet. Chem.* (2004), 18(5), 252. <http://dx.doi.org/10.1002/aoc.613>

2005

Abernethy R J, Hill A F, Neumann H, Willis A C Poly(azolyl) chelate chemistry 14.[1] κ^2 -S,S' vs κ^3 -H,S,S'-H₂B(mt)₂ (mt = methimazolyl)borate coordination in the complex [W(CO){H₂B(mt)₂}₂]. *Inorg. Chim. Acta* (2005), 358(5), 1605–1613.
<http://dx.doi.org/10.1016/j.ica.2004.07.061>

Advances in Organometallic Chemistry, Vol. 52. West R, Hill A F, eds. Academic Press: San Diego, USA (2005), pp. v–390.

Advances in Organometallic Chemistry, Vol. 53. West R, Hill A F, eds. Academic Press: San Diego, USA (2005), pp. v–324.

Bartlett M J, Hill A F, Smith M K A bimetallic complex spanned by the C₄H ligand: synthesis of [Cl(CO)₂L₂RuC≡CCH=C=RuL₂(η -C₅H₅)]PF₆ (L = PPh₃). *Organometallics* (2005), 24(24), 5795–5798. <http://dx.doi.org/10.1021/om050800o>

Caldwell L M, Hill A F, Willis A C Selenoaroyl complexes of molybdenum. *Chem. Commun.* (2005), (20), 2615–2617.
<http://dx.doi.org/10.1039/b417508e>

Crossley I R, Foreman M R St-J, Hill A F, White A J P, Williams D J The first rhodaboratrane: [RhCl(PPh₃) {B(mt)₃}](R_h→B) (mt = methimazolyl). *Chem. Commun.* (2005), (2), 221–223. <http://dx.doi.org/10.1039/b413305f>

Crossley I R, Hill A F, Humphrey E R, Willis A C The first bimetallic metallaboratrane: [Rh₂{B(mt)₃}₂{ κ^2 -S,S'-HB(mt)₃}]Cl and its synthesis from the fluxional rhodaboratrane salt [Rh{B(mt)₃}(η^4 -C₈H₁₂)]Cl, (R_h→B, mt = methimazolyl). *Organometallics* (2005), 24(16), 4083–4086. <http://dx.doi.org/10.1021/om0580203>

Crossley I R, Hill A F, Willis A C Formation of metallaboratrane: the missing link. The first iridaboratrane, [IrH(CO)(PPh₃) { κ^3 -B,S,S-B(mt)₂R}](Ir→B) (mt = methimazolyl, R = mt, H). *Organometallics* (2005), 24(6), 1062–1064.
<http://dx.doi.org/10.1021/om040128f>

Crossley I R, Hill A F, Willis A C Poly(methimazolyl)borate complexes of platinum. *Organometallics* (2005), 24(21), 4889–4892. <http://dx.doi.org/10.1021/om050377j>

Dewhurst R D, Hill A F, Rae A D, Willis A C Reactions of bis(tricarbido)mercurials and dimetallaoctatetraynes with [Ru(CO)₂(PPh₃)₃]: scission of a C_{sp}-C_{sp} single bond. *Organometallics* (2005), 24(20), 4703–4706.
<http://dx.doi.org/10.1021/om050453i>

Dewhurst R D, Hill A F, Smith M K Neutral and anionic tricarbido complexes of gold(I). *Organometallics* (2005), 24(23), 5576–5580. <http://dx.doi.org/10.1021/om050528i>

Dewhurst R D, Hill A F, Smith M K **Regioselective dimetallapolycarbonyl hydrometalation.** *Organometallics* (2005), 24(26), 6295–6297. <http://dx.doi.org/10.1021/om050796g>

Dewhurst R D, Hill A F, Willis A C **Stoichiometric and catalytic demercuration of bis(tricarbido)mercurials: the first dimetallaoctatetraynes.** *Organometallics* (2005), 24(13), 3043–3046. <http://dx.doi.org/10.1021/om058011u>

Foreman M R St-J, Hill A F, Smith M K, Tshabang N **Novel heterobimetallic coordination of the H₂B(mt)₂ ligand: the complex [Mo(SnMe₂Cl)(CO)₃{μ-S:κ³-H,S,H₂B(mt)₂}] (mt = methimazolyl).** *Organometallics* (2005), 24(22), 5224–5226. <http://dx.doi.org/10.1021/om050778z>

Hill A F **Protagonists in chemistry.** *Inorg. Chim. Acta* (2005), 358(5), 1343–1344. <http://dx.doi.org/10.1016/j.ica.2004.12.001>

Hill A F, Rae A D, Smith M K **Niobium and tantalum tris(methimazolyl)borate complexes [M(=NC₆H₃Pr₂-2,6)Cl₂{HB(mt)₃}] (M = Nb, Ta; mt = methimazolyl).** *Inorg. Chem.* (2005), 44(21), 7316–7318. <http://dx.doi.org/10.1021/ic051218v>

Hill A F, Schultz M, Willis A C **Facile two-step construction of a novel tetrathiamacrotricycle.** *Organometallics* (2005), 24(9), 2027–2029. <http://dx.doi.org/10.1021/om040126v>

Hill A F, Smith M K **Novel poly(methimazolyl)borate complexes of niobium(V) and tantalum(V).** *Chem. Commun.* (2005), (14), 1920–1922. <http://dx.doi.org/10.1039/b415852k>

Hill A F, Tocher D A, White A J P, Williams D J, Wilton-Ely J D E T **Thiocarbamoyl complexes of ruthenium(II), rhodium(III), and iridium(III).** *Organometallics* (2005), 24(22), 5342–5355. <http://dx.doi.org/10.1021/om050514c>

Maitlis P M, Hill A F **An interview with Peter Maitlis and a selection of highlights from Gordon Stone's research by Anthony Hill.** *Inorg. Chim. Acta* (2005), 358(5), 1345–1357. <http://dx.doi.org/10.1016/j.ica.2004.12.002>

Inorganic Stereochemistry and Asymmetric Synthesis

Swiegers G F, Wild S B **Temperature-dependent co-operative coiling of helical conformers of enantiopure ligo(tertiary phosphines).** *Aust. J. Chem.* (2005), 58(12), 831–833. <http://dx.doi.org/10.1071/CH05253>

Solid State Inorganic Chemistry

Austin K A B, Banwell M G, Loong D T J, Rae A D, Willis A C **A chemoenzymatic total synthesis of the undecenolide (–)-cladospolide B via a mid-stage ring-closing metathesis and a late-stage photo-rearrangement of the E-isomer.** *Org. Biomol. Chem.* (2005), 3(6), 1081–1088. <http://dx.doi.org/10.1039/b417685e>

Carter M L, Withers R L **A universally applicable composite modulated structure approach to ordered Ba_xM_yTi_{8-y}O₁₆ hollandite-type solid solutions.** *J. Solid State Chem.* (2005), 178(6), 1903–1914. <http://dx.doi.org/10.1016/j.jssc.2005.03.040>

Dewhurst R D, Hill A F, Rae A D, Willis A C **Reactions of bis(tricarbido)mercurials and dimetallaoctatetraynes with [Ru(CO)₂(PPh₃)₃]: scission of a C_{sp}–C_{sp} single bond.** *Organometallics* (2005), 24(20), 4703–4706. <http://dx.doi.org/10.1021/om050453i>

Hill A F, Rae A D, Smith M K **Niobium and tantalum tris(methimazolyl)borate complexes [M(=NC₆H₃Pr₂-2,6)Cl₂{HB(mt)₃}] (M = Nb, Ta; mt = methimazolyl).** *Inorg. Chem.* (2005), 44(21), 7316–7318. <http://dx.doi.org/10.1021/ic051218v>

Howard C J, Withers R L, Zhang Z, Osaka K, Kato K, Takata M **Space-group symmetry for the perovskite Ca_{0.3}Sr_{0.7}TiO₃.** *J. Phys.: Condens. Matter* (2005), 17(44), L459–L465. <http://dx.doi.org/10.1088/0953-8984/17/44/L01>



◆>>> PUBLICATIONS

James M, Tedesco T, Cassidy D J, Withers R L Oxygen vacancy ordering in strontium doped rare earth cobaltate perovskites $\text{Ln}_{1-x}\text{Sr}_x\text{CoO}_{3-\delta}$ ($\text{Ln} = \text{La, Pr and Nd}; x > 0.60$). *Mater. Res. Bull.* (2005), 40(6), 990–1000.
<http://dx.doi.org/10.1016/j.materresbull.2005.02.020>

James M, Wallwork K S, Withers R L, Goossens D J, Wilson K F, Horvat J, Wang X L, Colella, M Structure and magnetism in the oxygen-deficient perovskites $\text{Ce}_{1-x}\text{Sr}_x\text{CoO}_{3-\delta}$ ($x \geq 0.90$). *Mater. Res. Bull.* (2005), 40(8), 1415–1431.
<http://dx.doi.org/10.1016/j.materresbull.2005.03.025>

Liu Y, Withers R L, Wei X Y Structurally frustrated relaxor ferroelectric behavior in $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$. *Phys. Rev. B* (2005), 72(13), 134104/1–4. <http://dx.doi.org/10.1103/PhysRevB.72.134104>

Liu Y, Withers R L, Whichello A P, Norén L, Ting V, Brink F, Fitz Gerald J D A combined diffraction and dielectric properties investigation of $\text{Ba}_3\text{MnNb}_2\text{O}_9$ complex perovskites. *J. Solid State Chem.* (2005), 178(11), 3389–3395.
<http://dx.doi.org/10.1016/j.jssc.2005.08.025>

Naumov P, Jovanovski G, Grupčić O, Kaitner B, Rae A D, Ng S W Solid-state structure and temperature/evacuation-induced dehydration of sodium saccharinate 1.875 hydrate. *Angew. Chem., Int. Ed.* (2005), 44(8), 1251–1254.
<http://dx.doi.org/10.1002/anie.200461043>

Norén L, Withers R L, Brink F J Where are the Sn atoms in LaSb_2Sn_x , $0.1 \leq x \leq \sim 0.75$? *J. Solid State Chem.* (2005), 178(6), 2133–2143. <http://dx.doi.org/10.1016/j.jssc.2005.04.026>

Rae A D, Haller K J, Weng N S The commensurately modulated bis(aquachlorotriphenyltin-1,10-phenanthroline) crystal structure. *J. Sci. Technol. Trop.* (2005), 1(2), 157–163.

Rae A D, Mossin S, Sørensen H O Structure refinement of a twinned pseudo-symmetric crystal of $[\text{Mn}(\text{C}_{10}\text{H}_{24}\text{N}_4)(\text{NCO})_2]^+\cdot\text{ClO}_4^-$. *Acta Crystallogr., Sect. B* (2005), 61(4), 407–417. <http://dx.doi.org/10.1107/S0108768105015211>

Rodriguez M A, Campana C F, Rae A D, Graeber E, Morosin B Form III of 2,2',4,4',6,6'-hexanitroazobenzene (HNAB-III). *Acta Crystallogr., Sect. C* (2005), 61(3), o127–o130. <http://dx.doi.org/10.1107/S0108270105000569>

Smith G, Hartono A W, Wermuth U D, Healy P C, White J M, Rae A D 5-Nitrosalicylic acid and its proton-transfer compounds with aliphatic Lewis bases. *Aust. J. Chem.* (2005), 58(1), 47–52. <http://dx.doi.org/10.1071/CH04144>

Tenailleau C, Pring A, Moussa S M, Liu Y, Withers R L, Tarantino S, Zhang M, Carpenter M A Composition-induced structural phase transitions in the $(\text{Ba}_{1-x}\text{La}_x)_2\text{In}_2\text{O}_{5+x}$ ($0 \leq x \leq 0.6$) system. *J. Solid State Chem.* (2005), 178(3), 882–891.
<http://dx.doi.org/10.1016/j.jssc.2005.01.004>

Urones-Garrote E, Gómez-Herrero A, Landa-Cánovas A R, Withers R L, Otero-Díaz L C Order and disorder in rocksalt and spinel structures in the $\text{MgS}-\text{Yb}_2\text{S}_3$ system. *Chem. Mater.* (2005), 17(13), 3524–3531. <http://dx.doi.org/10.1021/cm050593i>

Withers R L Disorder, structured diffuse scattering and the transmission electron microscope. *Z. Kristallogr.* (2005), 220(12), 1027–1034. http://dx.doi.org/10.1524/zkri.2005.220.12_2005.1027

Withers R L, Liu Y A coupled electron diffraction and rigid unit mode (RUM) study of the crystal chemistry of some zeotypic AlPO_4 compounds. *J. Solid State Chem.* (2005), 178(9), 2647–2657. <http://dx.doi.org/10.1016/j.jssc.2005.06.003>

Withers R L, Liu Y Local crystal chemistry, structured diffuse scattering and inherently flexible framework structures. In *Inorganic Chemistry in Focus II*, Meyer G, Naumann D, Wesemann L, eds. Wiley-VCH: Weinheim (2005), Chapter 18, pp. 347–363.

Withers R L, Otero-Diaz C, Gómez-Herrero A, Landa-Canovas A R, Prodan A, van Midden H J P, Norén L Compositionally modulated Fermi surfaces, structured diffuse scattering and ternary derivatives of 1T-TaS₂. *J. Solid State Chem.* (2005), 178(10), 3159–3168. <http://dx.doi.org/10.1016/j.jssc.2005.07.032>

Withers R L, Welberry T R, Pring A, Tenailleau C, Liu Y 'Soft' phonon modes, structured diffuse scattering and the crystal chemistry of Fe-bearing sphalerites. *J. Solid State Chem.* (2005), 178(3), 655–660. <http://dx.doi.org/10.1016/j.jssc.2004.12.011>

Zhou Q, Kennedy B J, Ting V, Withers R L Thermal expansion and cation disorder in Bi₂InNbO₇. *J. Solid State Chem.* (2005), 178(5), 1575–1579. <http://dx.doi.org/10.1016/j.jssc.2004.12.012>

Synthesis and Mechanism

Austin K A B, Banwell M G, Loong D T J, Rae A D, Willis A C A chemoenzymatic total synthesis of the undecenolide (–)-cladospolide B via a mid-stage ring-closing metathesis and a late-stage photo-rearrangement of the E-isomer. *Org. Biomol. Chem.* (2005), 3(6), 1081–1088. <http://dx.doi.org/10.1039/b417685e>

Banwell M G, Beck D A S, Stanislawski P C, Sydnes M O, Taylor R M Pyrroles and gem-dihalocyclopropanes as building blocks for alkaloid synthesis. *Curr. Org. Chem.* (2005), 9(15), 1589–1600. <http://www.bentham.org/coc/contabs/coc9-15.htm#10>

Banwell M G, Chand S Exploitation of co-operative directed *ortho*-metallation (DoM) by 1,3-related –OMOM groups in the development of a fully regio-controlled synthesis of atranol from orcinol. *Org. Prep. Proced. Int.* (2005), 37(3), 275–279.

Banwell M G, Chand S, Savage G P An enantioselective total synthesis of the stilbenolignan (–)-aiphanol and the determination of its absolute stereochemistry. *Tetrahedron: Asymmetry* (2005) 16(9), 1645–1654. <http://dx.doi.org/10.1016/j.tetasy.2005.02.035>

Banwell M G, Edwards A J, Lupton D W, Whited G Whole-cell biotransformation of *m*-ethyltoluene into 1*S,6R*-5-ethyl-1,6-dihydroxycyclohexa-2,4-diene-1-carboxylic acid as an approach to the C-ring of the binary indole-indoline alkaloid vinblastine. *Aust. J. Chem.* (2005), 58(1), 14–17. <http://dx.doi.org/10.1071/CH04185>

Banwell M G, Loong D T J, Willis A C A chemoenzymatic total synthesis of the undecenolide (–)-cladospolide C. *Aust. J. Chem.* (2005), 58(7), 511–516. <http://dx.doi.org/10.1071/CH05074>

Banwell M G, Lupton D W Exploiting the palladium[0]-catalysed Ullmann cross-coupling reaction in natural products chemistry: application to a total synthesis of the alkaloid (±)-aspidospermidine. *Org. Biomol. Chem.* (2005), 3(2), 213–215. <http://dx.doi.org/10.1039/b415977b>

Banwell M G, Lupton D W, Willis A C Application of the palladium[0]-catalysed Ullmann cross-coupling reaction in a total synthesis of (±)-aspidospermidine and thus representing an approach to the lower hemisphere of the binary indole-indoline alkaloid vinblastine. *Aust. J. Chem.* (2005), 58(10), 722–737. <http://dx.doi.org/10.1071/CH05181>

Banwell M G, Ma X, Willis A C The synthesis of *E*-2-(bromomethylene)cyclohexanone and *E*-2-(bromomethylene)cycloheptanone. *Org. Prep. Proced. Int.* (2005), 37(1), 93–98.

Freeman C, Liu I, Banwell M G, Brown K J, Bezios A, Ferro V, Parish C R Use of sulfated linked cyclitols as heparan sulfate mimetics to probe the heparin/heparan sulfate binding specificity of proteins. *J. Biol. Chem.* (2005), 280(10), 8842–8849. <http://dx.doi.org/10.1074/jbc.M410769200>



◆>>> PUBLICATIONS

Renner J, Kruszelnicki I, Adamiak B, Willis A C, Hammond E, Su S, Burns C, Trybala E, Ferro V, Banwell M G **The synthesis and biological evaluation of two analogues of the C-riboside showdomycin.** *Aust. J. Chem.* (2005), 58(2), 86–93. <http://dx.doi.org/10.1071/CH04273>

Syndes M O **Alkaloids with interesting properties: phenanthroindolizatines and phenanthroquinolizidines.** *Kjemi* (2005), 65(5), 19–21.

PATENT:

Banwell M G, Bonnet M, Ferro V, Kreipl A, Renner J **Small molecule glycosaminoglycan mimetics.** Australian Provisional Patent Application Number 2005903280 (filed 22 June 2005).

Biochemical Reactions and Molecular Recognition

Ashnagar A, Easton C J, Gharib Naseri N **Determination of association constants of β -cyclodextrin and β -cyclodextrin-N-succinamate with drugs by high performance liquid chromatography.** *Asian J. Chem.* (2005), 17(1), 183–190.

Barr L, Easton C J, Lee K, Lincoln S F **Aminocyclodextrins to facilitate the deprotonation of 4-tert-butyl- α -nitrotoluene.** *Org. Biomol. Chem.* (2005), 3(16), 2990–2993. <http://dx.doi.org/10.1039/b506187c>

Barr L, Lincoln S F, Easton C J **A cyclodextrin molecular reactor for the regioselective synthesis of 1,5-disubstituted-1,2,3-triazoles.** *Supramol. Chem.* (2005), 17(7), 547–555. <http://dx.doi.org/10.1080/10610270500329131>

Costabile M, Hii C S T, Melino M, Easton C, Ferrante A **The immunomodulatory effects of novel β -oxa, β -thia, and γ -thia polyunsaturated fatty acids on human T lymphocyte proliferation, cytokine production, and activation of protein kinase C and MAPKs.** *J. Immunol.* (2005), 174(1), 233–243. <http://www.jimmunol.org/content/vol174/issue1/>

Easton C J **Cyclodextrin-based catalysts and molecular reactors.** *Pure Appl. Chem.* (2005), 77(11), 1865–1871. <http://dx.doi.org/10.1351/pac200577111865>

May B L, Gerber J, Clements P, Buntine M A, Brittain D R B, Lincoln S F, Easton C J **Cyclodextrin and modified cyclodextrin complexes of E-4-tert-butylphenyl-4'-oxyazobenzene: UV-visible, ^1H NMR and *ab initio* studies.** *Org. Biomol. Chem.* (2005), 3(8), 1481–1488. <http://dx.doi.org/10.1039/b415594g>

Philbrook A, Blake C J, Dunlop N, Easton C J, Keniry M A, Simpson J S **Demonstration of co-polymerisation in melamine-urea-formaldehyde reactions using ^{15}N NMR correlation spectroscopy.** *Polymer* (2005), 46(7), 2153–2156. <http://dx.doi.org/10.1016/j.polymer.2005.01.031>

Organic Synthesis

Hutt O E, Mander L N, Willis A C **Ring fragmentation processes resulting from acid catalysed diazo ketone cyclisations.** *Tetrahedron Lett.* (2005), 46(27), 4569–4572. <http://dx.doi.org/10.1016/j.tetlet.2005.05.009>

Mander L N, Thomson R J **Total synthesis of sordaricin.** *J. Org. Chem.* (2005), 70(5), 1654–1670. <http://dx.doi.org/10.1021/jo048199b>

Nakagawa H, Jiang C-J, Sakakibara H, Kojima M, Honda I, Ajisaka H, Nishijima T, Koshioka M, Homma T, Mander L N, Takatsuji H **Overexpression of a petunia zinc-finger gene alters cytokinin metabolism and plant forms.** *Plant J.* (2005), 41(4), 512–523. <http://dx.doi.org/10.1111/j.1365-313X.2004.02316.x>

Williams C M, Mander L N, Bernhardt P V, Willis A C **Investigating direct routes to an advanced intermediate or the synthesis of C-20 diterpene alkaloids.** *Tetrahedron* (2005), 61(15), 3759–3769. <http://dx.doi.org/10.1016/j.tet.2005.02.014>

Organic Synthesis, Methodology and Host-guest Chemistry

Barrett E S, Sherburn M S Practical synthesis and guest–guest communication in multi-hemicarceplexes. *Chem. Commun.* (2005), (27), 3418–3420. <http://dx.doi.org/10.1039/b504950d>

Cayzer T N, Lilly M J, Williamson R M, Paddon-Row M N, Sherburn M S On the Diels–Alder reactions of pentadienyl maleates and citraconates. *Org. Biomol. Chem.* (2005), 3(7), 1302–1307. <http://dx.doi.org/10.1039/b501446h>

Cayzer T N, Paddon-Row M N, Moran D, Payne A D, Sherburn M S, Turner P Intramolecular Diels–Alder reactions of ester-linked 1,3,8-nonatrienes. *J. Org. Chem.* (2005), 70(14), 5561–5570. <http://dx.doi.org/10.1021/jo0505829>

Jones G A, Paddon-Row M N, Sherburn M S, Turner C I On the *endo/exo* stereoselectivity of intramolecular Diels–Alder reactions of hexadienylacrylates: an interesting failure of density functional theory [Erratum for Volume 4, 2002]. *Org. Lett.* (2005), 7(20), 4547. ^s <http://dx.doi.org/10.1021/o1052028r>

Lilly M J, Miller N A, Edwards A J, Willis A C, Turner P, Paddon-Row M N, Sherburn M S Allylic stereocontrol of the intramolecular Diels–Alder reaction. *Chem. Eur. J.* (2005), 11(8), 2525–2536. <http://dx.doi.org/10.1002/chem.200401215>

Paddon-Row M N, Moran D, Jones G A, Sherburn M S On the origin of *cis/trans* stereoselectivity in intramolecular Diels–Alder reactions of substituted pentadienyl acrylates: a comprehensive density functional study. *J. Org. Chem.* (2005), 70(26), 10841–10853. <http://dx.doi.org/10.1021/jo051973q>

Payne A D, Willis A C, Sherburn M S Practical synthesis and Diels–Alder chemistry of [4]dendralene. *J. Am. Chem. Soc.* (2005), 127(35), 12188–12189. <http://dx.doi.org/10.1021/ja053772+>

Sinclair D J, Sherburn M S Single and double Suzuki–Miyaura couplings with symmetric dihalobenzenes. *J. Org. Chem.* (2005), 70(9), 3730–3733. <http://dx.doi.org/10.1021/jo050105q>

Turner C I, Paddon-Row M N, Willis A C, Sherburn M S Double Diels–Alder reactions of linear conjugated tetraenes. *J. Org. Chem.* (2005), 70(4), 1154–1163. <http://dx.doi.org/10.1021/jo048108a>

^s Research conducted prior to commencement at RSC

Theoretical Chemical Physics

2004

Lee J, Dong E, Jin D, Song K, Collins M A Classical trajectory studies of the photodissociation reaction of *sym*-triazine. *Phys. Chem. Chem. Phys.* (2004), 6(5), 945–948. <http://dx.doi.org/10.1039/b314730d>

Zhang D H, Yang M, Collins M A, Lee S-Y Reaction dynamics of polyatomic systems: from A + BCD → AB + CD to X + YCZ3 → XY + CZ3. *NATO Sci. Ser. II* (2004), 145, 279–303.

2005

Deev V, Collins M A Approximate *ab initio* energies by systematic molecular fragmentation. *J. Chem. Phys.* (2005), 122(15), 154102/1–12. <http://dx.doi.org/10.1063/1.1879792>

Evenhuis C R, Lin X, Zhang D H, Yarkony D, Collins M A Interpolation of diabatic potential-energy surfaces: quantum dynamics on *ab initio* surfaces. *J. Chem. Phys.* (2005), 123(13), 134110/1–12. <http://dx.doi.org/10.1063/1.2047569>

Moyano G E, Collins M A Interpolated potential energy surface for abstraction and exchange reactions of NH₃ + H and deuterated analogues. *Theor. Chem. Acc.* (2005), 113(4), 225–232. <http://dx.doi.org/10.1007/s00214-004-0626-8>



◆>>> PUBLICATIONS

Computational Quantum Chemistry, Polymer Chemistry

Coote M L The kinetics of addition and fragmentation in reversible addition fragmentation chain transfer polymerisation: an *ab initio* study. *J. Phys. Chem. A* (2005), 109(6), 1230–1239. <http://dx.doi.org/10.1021/jp046131u>

Coote M L, Henry D J Computer-aided design of a destabilised RAFT adduct radical: toward improved RAFT agents for styrene-block-vinyl acetate copolymers. *Macromolecules* (2005), 38(13), 5774–5779. <http://dx.doi.org/10.1021/ma050415a>

Coote M L, Henry D J Effect of substituents on radical stability in reversible addition fragmentation chain transfer polymerisation: an *ab initio* study. *Macromolecules* (2005), 38(4), 1415–1433. <http://dx.doi.org/10.1021/ma047814a>

Hodgson J L, Coote M L Effects of substituents on the stability of phosphoranyl radicals. *J. Phys. Chem. A* (2005), 109(44), 10013–10021. <http://dx.doi.org/10.1021/jp053535t>

Hodgson J L, Coote M L Propagation mechanisms in ring-opening polymerisation of small phosphorus heterocycles: toward free-radical polymerisation of phosphines? *Macromolecules* (2005), 38(21), 8902–8910. <http://dx.doi.org/10.1021/ma051691s>

Hodgson J L, Green K A, Coote M L Should dithiophosphinate esters function as RAFT agents? *Org. Lett.* (2005), 7(21), 4581–4584. <http://dx.doi.org/10.1021/o10516420>

Izgorodina E I, Coote M L, Radom L Trends in R-X bond dissociation energies (R = Me, Et, *i*-Pr, *t*-Bu; X = H, CH₃, OCH₃, OH, F): a surprising shortcoming of density functional theory. *J. Phys. Chem. A* (2005), 109(33), 7558–7566. <http://dx.doi.org/10.1021/jp052021r>

Jackson C J, Liu J-W, Coote M L, Ollis D L The effects of substrate orientation on the mechanism of a phosphotriesterase. *Org. Biomol. Chem.* (2005), 3(24), 4343–4350. <http://dx.doi.org/10.1039/b512399b>

Purmova J, Pauwels K F D, van Zoelen W, Vorenkamp E J, Schouten A J, Coote M L New insight into the formation of structural defects in poly(vinyl chloride). *Macromolecules* (2005), 38(15), 6352–6366. <http://dx.doi.org/10.1021/ma050035p>

Theis A, Stenzel M H, Davis T P, Coote M L, Barner-Kowollik C A synthetic approach to a novel class of fluorine-bearing reversible addition–fragmentation chain transfer (RAFT) agents: F-RAFT. *Aust. J. Chem.* (2005), 58(6), 437–441. <http://dx.doi.org/10.1071/CH05069>

PATENT

Barner-Kowollik C, Coote M L, Davis T P, Theis A, Stenzel M H Polymerisation agent. US Provisional Patent Application Number 60/682842, 40 pp.

Liquid State Chemical Physics

Bright J N, Evans D J, Searles D J New observations regarding deterministic, time-reversible thermostats and Gauss's principle of least constraint. *J. Chem. Phys.* (2005), 122(19), 194106/1–8. <http://dx.doi.org/10.1063/1.1900724>

Evans D J Relation between two proposed fluctuation theorems. *Mol. Simul.* (2005), 31(6–7), 389–391. <http://dx.doi.org/10.1080/08927020412331332721>

Evans D J The fluctuation theorem and its implications for materials processing and modeling. In *Handbook of Materials Modeling*, Yip S, Ed. Springer: Dordrecht (2005), pp. 2773–2776.

Evans D J, Searles D J, Rondoni L **Application of the Gallavotti–Cohen fluctuation relation to thermostated steady states near equilibrium.** *Phys. Rev. E* (2005), 71(5), 056120/1–12. <http://dx.doi.org/10.1103/PhysRevE.71.056120>

Petravic J **Shear stress correlation length at constant pressure.** *Fizika A* (2005), 14(2), 179–186. http://fizika.hfd.hr/fizika_a/av05/a14p179.htm

Petravic J **Thermal conductivity of ethanol.** *J. Chem. Phys.* (2005), 123(17), 174503/1–7. <http://dx.doi.org/10.1063/1.2102867>

Petravic J **Time dependence of phase variables in a steady shear flow algorithm.** *Phys. Rev. E* (2005), 71(1), 011202/1–7. <http://dx.doi.org/10.1103/PhysRevE.71.011202>

Petravic J, Delhommelle, J **Hydrogen bonding in ethanol under shear.** *J. Chem. Phys.* (2005), 122(23), 234509/1–5. <http://dx.doi.org/10.1063/1.1940050>

Reid J C, Sevick E M, Evans D J **A unified description of two theorems in non-equilibrium statistical mechanics: the fluctuation theorem and the work relation.** *Europhys. Lett.* (2005), 72(5), 726–732. <http://dx.doi.org/10.1209/epl/i2005-10300-3>

Wang G M, Carberry D M, Reid J C, Sevick E M, Evans D J **Demonstration of the steady-state fluctuation theorem from a single trajectory.** *J. Phys.: Condens. Matter* (2005), 17(45), S3239–S3244. <http://dx.doi.org/10.1088/0953-8984/17/45/007>

Wang G M, Reid J C, Carberry D M, Williams D R M, Sevick E M, Evans D J **Experimental study of the fluctuation theorem in a nonequilibrium steady state.** *Phys. Rev. E* (2005), 71(4), 046142/1–11. <http://dx.doi.org/10.1103/PhysRevE.71.046142>

Theoretical Quantum Chemistry

Ghosh S, Gill P M W **Finite jellium models. I. Restricted Hartree–Fock calculations.** *J. Chem. Phys.* (2005), 122(15), 154108/1–12. <http://dx.doi.org/10.1063/1.1873552>

Gill P M W, Gilbert A T B, Taylor S W, Friesecke G, Head-Gordon M **Decay behavior of least-squares coefficients in auxiliary basis expansions.** *J. Chem. Phys.* (2005), 123(6), 061101/1–4. <http://dx.doi.org/10.1063/1.2000867>

Gill P M W, O'Neill D P **Electron correlation in Hooke's law atom in the high-density limit.** *J. Chem. Phys.* (2005), 122(9), 094110/1–4. <http://dx.doi.org/10.1063/1.1862237>

Jung Y, Sodt A, Gill P M W, Head-Gordon M **Auxiliary basis expansions for large-scale electronic structure calculations.** *Proc. Natl. Acad. Sci. USA* (2005), 102(19), 6692–6697. <http://dx.doi.org/10.1073/pnas.0408475102>

Lee S B, Lin C Y, Gill P M W, Webster R D **Transformation of α -tocopherol (vitamin E) and related chromanol model compounds into their phenoxonium ions by chemical oxidation with the nitrosonium cation.** *J. Org. Chem.* (2005), 70(25), 10466–10473. <http://dx.doi.org/10.1021/jo0517951>

O'Neill D P, Gill P M W **Benchmark correlation energies for small molecules.** *Mol. Phys.* (2005), 103(6–8), 763–766.^s <http://taylorandfrancis.metapress.com/link.asp?id=r26v407h3346511p>

Simmonett A C, Gilbert A T B, Gill P M W **An optimal point-charge model for molecular electrostatic potentials.** *Mol. Phys.* (2005), 103(20), 2789–2793. <http://taylorandfrancis.metapress.com/openurl.asp?genre=article&tid=doi:10.1080/00268970500187910>

^s Research conducted prior to commencement at RSC



◆>>> PUBLICATIONS

Laser and Optical Spectroscopy

Francis P S, Barnett N W, Smith T A, Spizzirri P G, Wang X, Krausz E Near-infrared chemiluminescence from the oxidation of ammonia in aqueous alkaline solution. *Luminescence* (2005), 20(6), 442–444. <http://dx.doi.org/10.1002/bio.870>

Hughes J L, Krausz E, Smith P J, Pace R J, Riesen H Probing the lowest energy chlorophyll *a* states of Photosystem II via selective spectroscopy: new insights on P680. *Photosynth. Res.* (2005), 84(1–3), 93–98. <http://dx.doi.org/10.1007/s11120-004-7927-6>

Krausz E, Hughes J L, Smith P J, Pace R J, Peterson Årsköld S Assignment of the low-temperature fluorescence in oxygen-evolving Photosystem II. *Photosynth. Res.* (2005), 84(1–3), 193–199. <http://dx.doi.org/10.1007/s11120-004-7078-9>

Krausz E, Hughes J L, Smith P, Pace R, Peterson Årsköld S Oxygen-evolving Photosystem II core complexes: a new paradigm based on the spectral identification of the charge-separating state, the primary acceptor and assignment of low-temperature fluorescence. *Photochem. Photobiol. Sci.* (2005), 4(9), 744–753. <http://dx.doi.org/10.1039/b417905f>

Krausz E, Peterson Årsköld S Identifying redox-active chromophores in Photosystem II by low-temperature optical spectroscopies. In *Artificial Photosynthesis: From Basic Biology to Industrial Application*. Collings A F, Critchley C, eds. Wiley-VCH Verlag GmbH & Co. KGaA: Weinheim (2005), Chapter 5, pp. 87–107.

Kubik M Monitoring colour and fading: fluorescent pigments in works of art. *Aust. J. Chem.* (2005), 58(3), 234. <http://dx.doi.org/10.1071/CH04257>

Mahon P J, Oldham K B Diffusion-controlled chrono-amperometry at a disk electrode. *Anal. Chem.* (2005), 77(18), 6100–6101. <http://dx.doi.org/10.1021/ac051034y>

Peterson Årsköld S, Smith P J, Shen J-R, Pace R J, Krausz E Key cofactors of Photosystem II cores from four organisms identified by 1.7-K absorption, CD and MCD. *Photosynth. Res.* (2005), 84(1–3), 309–316. <http://dx.doi.org/10.1007/s11120-005-2135-6>

Razeghfard M R, Chen M, Hughes J L, Freeman J, Krausz E, Wydrzynski T Spectroscopic studies of Photosystem II in chlorophyll *d*-containing *Acaryochloris marina*. *Biochemistry* (2005), 44(33), 11178–11187. <http://dx.doi.org/10.1021/bi048314c>

Polymers and Soft Condensed Matter

Reid J C, Sevick E M, Evans D J A unified description of two theorems in non-equilibrium statistical mechanics: the fluctuation theorem and the work relation. *Europhys. Lett.* (2005), 72(5), 726–732. <http://dx.doi.org/10.1209/epl/i2005-10300-3>

Wang G M, Carberry D M, Reid J C, Sevick E M, Evans D J Demonstration of the steady-state fluctuation theorem from a single trajectory. *J. Phys.: Condens. Matter* (2005), 17(45), S3239–S3244. <http://dx.doi.org/10.1088/0953-8984/17/45/007>

Wang G M, Reid J C, Carberry D M, Williams D R M, Sevick E M, Evans D J Experimental study of the fluctuation theorem in a nonequilibrium steady state. *Phys. Rev. E* (2005), 71(4), 046142/1–11. <http://dx.doi.org/10.1103/PhysRevE.71.046142>

Disordered Materials

Goossens D J, Welberry T R, Heerdegen A P, Edwards A J Modelling disorder in 3,3'-dimethoxybenzil, $C_{16}H_{14}O_4$. *Z. Kristallogr.* (2005), 220(12), 1035–1042. http://dx.doi.org/10.1524/zkri.2005.220.12_2005.1035

Goossens D J, Welberry T R, Heerdegen A P Modelling dynamic disorder in 3,3'-dimethoxybenzil, $C_{16}H_{14}O_4$. In *Proceedings of the 16th Australian Institute of Physics Congress* (2005), ARSP PMO 66/1–4. http://aipcongress2005.anu.edu.au/Goossens_DJ_AIP_ASRP_CD1.pdf

Goossens D J, Wilson K F, James M **Structure and magnetism in $\text{Ho}_{1-x}\text{Sr}_x\text{CoO}_{3-\delta}$** . *J. Phys. Chem. Solids* (2005), 66(1), 169–175. <http://dx.doi.org/10.1016/j.jpcs.2004.09.003>

Goossens D J, Wu X, Prior M **Structural phase transition in d-benzil characterised by capacitance measurements and neutron powder diffraction**. *Solid State Commun.* (2005), 136(9–10), 543–545. <http://dx.doi.org/10.1016/j.ssc.2005.09.017>

James M, Wallwork K S, Withers R L, Goossens D J, Wilson K F, Horvat J, Wang X L, Colella M **Structure and magnetism in the oxygen-deficient perovskites $\text{Ce}_{1-x}\text{Sr}_x\text{CoO}_{3-\delta}$ ($x \geq 0.90$)**. *Mater. Res. Bull.* (2005), 40(8), 1415–1431. <http://dx.doi.org/10.1016/j.materresbull.2005.03.025>

Welberry T R **Diffuse scattering**. *Z. Kristallogr.* (2005), 220(12), 993. http://dx.doi.org/10.1524/zkri.2005.220.12_2005.993

Welberry T R **Diffuse scattering from organic crystals**. *Mol. Cryst. Liq. Cryst.* (2005), 440, 1–21. <http://journalsonline.tandf.co.uk/openurl.asp?genre=article&tid=doi:10.1080/15421400590957576>

Welberry T R, Goossens D J, Heerdegen A P, Lee P L **Problems in measuring diffuse X-ray scattering**. *Z. Kristallogr.* (2005), 220(12), 1052–1058. http://dx.doi.org/10.1524/zkri.2005.220.12_2005.1052

Welberry T R, Gutmann M J, Woo H, Goossens D J, Xu G, Stock C, Chen W, Ye Z-G **Single-crystal neutron diffuse scattering and Monte Carlo study of the relaxor ferroelectric $\text{PbZn}_{1/3}\text{Nb}_{2/3}\text{O}_3$ (PZN)**. *J. Appl. Crystallogr.* (2005), 38(4), 639–647. <http://dx.doi.org/10.1107/S0021889805015918>

Wilson K F, Goossens D J, James M **Magnetic properties of $\text{Gd}_{1-x}\text{Sr}_x\text{CoO}_{3-\delta}$ ($x = 0.67, 0.90$ and 0.95)**. In *Proceedings of the 16th Australian Institute of Physics Congress* (2005), CMMSP PWE 112/1–4. <http://aipcongress2005.anu.edu.au/pdf/PAPERS-3.pdf>

Withers R L, Welberry T R, Pring A, Tenailleau C, Liu Y **'Soft' phonon modes, structured diffuse scattering and the crystal chemistry of Fe-bearing sphalerites**. *J. Solid State Chem.* (2005), 178(3), 655–660. <http://dx.doi.org/10.1016/j.jssc.2004.12.011>

Solid State Molecular Science

2004

Thurecht K J, Hill D J T, Preston C M L, Rintoul L, White J W, Whittaker A K **Determination of domain sizes in blends of poly(ethylene) and poly(styrene) formed in the presence of supercritical carbon dioxide**. *Macromolecules* (2004), 37(16), 6019–6026. <http://dx.doi.org/10.1021/ma0492622>

2005

Espeau P, White J W **The phase transitions of n-alkanes in mesoscopic pores of graphite**. *Carbon* (2005), 43(9), 1885–1890. <http://dx.doi.org/10.1016/j.carbon.2005.02.037>

Espeau P, White J W, Papoulier R J **The structure of n-alkane binary mixtures adsorbed on graphite**. *Appl. Surf. Sci.* (2005), 252(5), 1350–1359. <http://dx.doi.org/10.1016/j.apsusc.2005.02.091>

Gibaud A, Henderson M J, Colas M, Dourdain S, Bardeau J-F, White J W **Comparative study by X-ray reflectivity of mesoporous silica thin films templated by F127 and P123 surfactants**. *AZoNano* (2005), 1, a0109/1–7. <http://www.azonano.com/Details.asp?ArticleID=1462>



◆>>> PUBLICATIONS

Graham L D, Glattauer V, Huson M G, Maxwell J M, Knott R B, White J W, Vaughan P R, Peng Y, Tyler M J, Werkmeister J A, Ramshaw J A **Characterisation of a protein-based adhesive elastomer secreted by the Australian frog *Notaden bennetti*.** *Biomacromolecules* (2005), 6(6), 3300–3312. <http://dx.doi.org/10.1021/bm050335e>

Henderson M J, Gibaud A, Bardeau J-F, Rennie A R, White J W **A zirconium oxide film self-assembled at the air–water interface.** *Physica B: Condens. Matter* (2005), 357(1–2), 27–33. <http://dx.doi.org/10.1016/j.physb.2004.11.013>

Henderson M J, Perriman A W, Robson-Marsden H, White J W **Protein–poly(silicic) acid interactions at the air/solution interface.** *J. Phys. Chem. B* (2005), 109(44), 20878–20886. <http://dx.doi.org/10.1021/jp051908k>

Molecular Electrochemistry

Kuan S L, Leong W K, Goh L Y, Webster R D **Redox-dependent isomerisation of organometallic Ru^{II}/Ru^{III} compounds containing the hydrotris(methimazoly)borate ligand: an electrochemical square scheme mechanism.** *Organometallics* (2005), 24(19), 4639–4648. <http://dx.doi.org/10.1021/om050432o>

Lee S B, Lin C Y, Gill P M W, Webster R D **Transformation of α-tocopherol (vitamin E) and related chromanol model compounds into their phenoxonium ions by chemical oxidation with the nitrosonium cation.** *J. Org. Chem.* (2005), 70(25), 10466–10473. <http://dx.doi.org/10.1021/jo0517951>

Ng V W L, Kuan S L, Leong W K, Koh L L, Tan G K, Goh L Y, Webster R D **Heterocyclic thionates as a new class of bridging ligands in oxo-centered triangular cyclopentadienylchromium(III) complexes.** *Inorg. Chem.* (2005), 44(15), 5229–5240. <http://dx.doi.org/10.1021/ic048287e>

Shin R Y C, Tan G K, Koh L L, Goh L Y, Webster R D **An organometallic tetranuclear complex of $\mu_4\text{-PO}_4$: $[(\{\text{Cp}^*\text{Cr}\})_2(\mu\text{-OMe})_2(\mu_4\text{-PO}_4)]\text{X}$ ($\text{X} = \text{I}, \text{PF}_6^-$).** *Organometallics* (2005), 24(7), 1401–1403. <http://dx.doi.org/10.1021/om048974d>

Shin R Y C, Tan G K, Koh L L, Vittal J J, Goh L Y, Webster R D **Metallophilicity in annular Ru₂M₂ derivatives of (HMB)Ru^{II}(tpdt) versus (bis)- η^2 -dithiolate bonding in Ru₂M derivatives of Cp^{*}Ru^{III}(tpdt) (HMB = $\eta^6\text{-C}_6\text{Me}_6$; Cp^{*} = $\eta^5\text{-C}_5\text{Me}_5$; M = Cu^I, Ag^{II}, Au^I; tpdt = 3-thiapentane-1,5-dithiolate).** *Organometallics* (2005), 24(4), 539–551. <http://dx.doi.org/10.1021/om0491950>

Shin R Y C, Teo M E, Leong W K, Vittal J J, Yip J H K, Goh L Y, Webster R D **S-Alkylation-induced redox reactions leading to reversible sulfur–sulfur coupling in a pentamethylcyclopentadienyl ruthenium(III) thiolate–thioether system.** *Organometallics* (2005), 24(7), 1483–1494. <http://dx.doi.org/10.1021/om049081o>

Single Crystal X-ray Diffraction Unit (External Collaborations)

Dalton G T, Viau L, Waterman S M, Humphrey M G, Bruce M I, Low P J, Roberts R L, Willis A C, Koutsantonis G A, Skelton B W, White A H **Mixed-metal cluster chemistry. 28. Core enlargement of tungsten-iridium clusters with alkynyl, ethyndiyli, and butadiyndiyli reagents.** *Inorg. Chem.* (2005), 44(9), 3261–3269. <http://dx.doi.org/10.1021/ic050040+>

Graham B, Spiccia L, Skelton B W, White A H, Hockless D C R **Imidazole derivatives of binuclear copper (II) and nickel (II) complexes incorporating bis(1,4,7-triazacyclononan-1-yl) ligands.** *Inorg. Chim. Acta* (2005), 358(13), 3974–3982. <http://dx.doi.org/10.1016/j.ica.2005.06.053>

Jackson W G, Dickie A J, McKeon J A, Spiccia L, Brudenell S J, Hockless D C R, Willis A C **Synthesis, structure, and kinetics and stereochemistry of base-catalysed hydrolysis of meso- and rac-[Co₂(tmpdtne)Cl₂]⁴⁺, bis(pentaamine) complexes devoid of deprotonatable NH centers.** *Inorg. Chem.* (2005), 44(2), 401–409. <http://dx.doi.org/10.1021/ic0400888>



Lucas N T, Humphrey M G, Willis A C $[\mu_8\text{-}\eta^4\text{-}2,5\text{-Bis(oct-1-ynyl)thiophene}]$ bis[octacarbonylbis(η^5 -methylcyclopentadienyl)-tetrahedro-diiridiumdimolybdenum] dichloromethane hemisolvate. *Acta Crystallogr., Sect. E* (2005), 61(3), m463–m464. <http://scripts.iucr.org/cgi-bin/paper?S160053680500214X>

Willis A C, Mahdi W K, Humphrey M G Bis(μ_3 -4-bromophenylimido)tris(tricarbonylruthenium)(2 Ru–Ru). *Acta Crystallogr., Sect. E* (2005), 61(11), m2335–m2337. <http://dx.doi.org/10.1107/S1600536805032885>

Zhou X, Day A I, Edwards A J, Willis A C, Jackson W G Facile C–H bond activation: synthesis of the N_4C donor set pentadentate ligand 1,4-bis(2-pyridylmethyl)-1,4-diazacyclononane (dmpdacn) and a structural study of its alkyl–cobalt(III) complex $[\text{Co}(\text{dmpdacn-C})(\text{OH}_2)](\text{ClO}_4)_2 \cdot \text{H}_2\text{O}$ and its hydroxylated derivative $[\text{Co}(\text{dmpdacnOH-OCl})(\text{ClO}_4)_2 \cdot \text{C}_3\text{H}_6\text{O}]$. *Inorg. Chem.* (2005), 44(2), 452–460. <http://dx.doi.org/10.1021/ic040081q>

Zhou X, Hockless D C R, Willis A C, Jackson W G Oxidative condensation reactions of (diethylenetriamine)cobalt(III) complexes with substituted bis(pyridin-2-yl)methane ligands. *J. Mol. Struct.* (2005), 740(1–3), 91–100. <http://dx.doi.org/10.1016/j.molstruc.2004.12.035>

Bioinorganic and Medicinal Chemistry

Fry F H, Dougan B A, McCann N, Ziegler C J, Brasch N E Characterisation of novel vanadium(III)/acetate clusters formed in aqueous solution. *Inorg. Chem.* (2005), 44(15), 5197–5199. <http://dx.doi.org/10.1021/ic050336f>

Adjunct Professors

Haworth N L, Sullivan M B, Wilson A K, Martin J M L, Radom L Structures and thermochemistry of calcium-containing molecules. *J. Phys. Chem. A* (2005), 109(40), 9156–9168. <http://dx.doi.org/10.1021/jp052889h>

Izgorodina E I, Coote M L, Radom L Trends in R–X bond dissociation energies (R = Me, Et, *i*-Pr, *t*-Bu; X = H, CH₃, OCH₃, OH, F): a surprising shortcoming of density functional theory. *J. Phys. Chem. A* (2005), 109(33), 7558–7566. <http://dx.doi.org/10.1021/jp052021r>

James V, Corino G, Robertson T, Dutton N, Halas D, Boyd A, Bentel J, Papadimitriou J Early diagnosis of breast cancer by hair diffraction. *Int. J. Cancer* (2005), 114(6), 969–972. <http://dx.doi.org/10.1002/ijc.20824>

James V J, Richardson J C, Robertson T A, Papadimitriou J M, Dutton N S, Maley M A L, Berstein L M, Lantseva O E, Martins R N Fibre diffraction of hair can provide a screening test for Alzheimer's disease: a human and animal model study. *Med. Sci. Monit.* (2005), 11(2), CR53–57. http://www.MedSciMonit.com/pub/vol_11/no_2/5873.pdf

Sandala G M, Smith D M, Radom L Divergent mechanisms of suicide inactivation for ethanolamine ammonia-lyase. *J. Am. Chem. Soc.* (2005), 127(24), 8856–8864. <http://dx.doi.org/10.1021/ja051527k>

Wood G P F, Moran D, Jacob R, Radom L Bond dissociation energies and radical stabilisation energies associated with model peptide-backbone radicals. *J. Phys. Chem. A* (2005), 109(28), 6318–6325. <http://dx.doi.org/10.1021/jp051860a>

Wood G P F, Rauk A, Radom L Modeling β -scission reactions of peptide backbone alkoxy radicals: backbone C–C bond fission. *J. Chem. Theory Comput.* (2005), 1(5), 889–899. <http://dx.doi.org/10.1021/ct050133g>



◆>>> PUBLICATIONS

Visiting Fellows (Post-retirement)

Barfod R, Eriksen J, Golding B T, Hammershøi A, Jacobsen T A, Langkilde A, Larsen S, Mørnsted O, Sargeson A M, Sørensen H O
Facile cobalt(III) template synthesis of novel branched hexadentate polyamine monocarboxylates. *Dalton Trans.* (2005), (3), 491–500. <http://dx.doi.org/10.1039/b416994h>

Bennett M A, Bhargava S K, Boas J F, Boeré R T, Bond A M, Edwards A J, Guo S-X, Hammerl A, Pilbrow J R, Privér S H, Schwerdtfeger P **Electrochemically informed synthesis and characterisation of salts of the $[Pt_2(\mu-\kappa As,\kappa C-C_6H_3-5-Me-2-AsPh_2)_4]^+$ lantern complex containing a Pt–Pt bond of order $\frac{1}{2}$.** *Inorg. Chem.* (2005), 44(7), 2472–2482. <http://dx.doi.org/10.1021/ic048660i>

Bennett M A, Byrnes M J, Chung G, Edwards A J, Willis A C **Bis(acetylacetonato)ruthenium(II) complexes containing bulky tertiary phosphines. Formation and redox behaviour of Ru(acac)₂(PR₃) (R = 'Pr, Cy) complexes with ethene, carbon monoxide, and bridging dinitrogen.** *Inorg. Chim. Acta* (2005), 358(5), 1692–1708.

<http://dx.doi.org/10.1016/j.ica.2004.07.062>

Brown D J **Cinnolines and Phthalazines: Supplement II. The Chemistry of Heterocyclic Compounds, Vol. 64.** Taylor E C, Wipf P, eds. John Wiley & Sons: New York (2005), pp. xvii–481.

Rickards R **Biosynthesis in insects by E. David Morgan.** *Aust. J. Chem.* (2005), 58(2), 152. http://dx.doi.org/10.1071/CH0409_BR
Wijesekera R D, Sargeson A M **Reactivities of coordinated phosphodiesters.** *J. Coord. Chem.* (2005), 58(1), 3–19. <http://dx.doi.org/10.1080/00958970512331327393>

Technical Services

Townsend B J, Poole A, Blake C J, Llewellyn D J **Antisense suppression of a (+)- δ -cadinene synthase gene in cotton prevents the induction of this defense response gene during bacterial blight infection but not its constitutive expression.** *Plant Physiol.* (2005), 138(1), 516–528. <http://dx.doi.org/10.1104/pp.104.056010>

